30" Microwave Combination Oven

800 Series - Stainless Steel HBL87M53UC





HBL87M53UC Stainless Steel

Bosch microwave combination ovens create an all-in-one cooking center with an upper microwave and a Genuine European Convection oven below.

Features & Benefits

With capacities of 1.6 cu. ft. upper microwave and 4.6 cu. ft. lower oven allows enough space to cook everyday meals or for a crowd.

10 convenient automatic sensor cooking programs to simplify cooking for great results every time.

Lower oven's convection multi-rack mode gives uniform baking results even when using all 3 racks simultaneously.

Download the Home Connect app to remotely monitor and control your Bosch wall oven with your smart phone or tablet.

| Home Connect" – lower cavity (WiFi enabled) Cooking modes – upper cavity Wegetable, Frozen Vegetable, Frozen Vegetable, Ground Meat, Fish / Seafood, Brown Rice, White Rice, Frozen Entrees, Reheat), Popcorn, Beverage, Melt / Soften, Defrost Cooking modes – lower cavity Pough, Convection Broil, Convection Roast, Warm, Sabbath, Proof Dough, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Convection Convection Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Convection Convection Convection Convection Convection Telescopic rack Illumination type Self Clean Telescopic rack 1 Illumination type LED (Upper) / Halogen (Lower) Interior lights 1 Upper / 2 Lower Oven Performance Microwave power – upper cavity Bake / broil element wattages – upper cavity Bake / broil element wattages – lower cavity Convection element wattages – lower cavity Convection element wattages – lower cavity Technical Details Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug Energy source Electric | General Pro | General Properties | | | |
|--|--|--|---|--|--|
| modes – upper cavity Programs (including Baked Potato, Sweet Potato, Fresh Vegetable, Frozen Vegetable, Ground Meat, Fish / Seafood, Brown Rice, White Rice, Frozen Entrees, Reheat), Popcorn, Beverage, Melt / Soften, Defrost Cooking modes – lower cavity Bake, Variable Broil (hi & low), Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast Preheat Cleaning type – lower Self Clean Telescopic rack Illumination type LED (Upper) / Halogen (Lower) Interior lights 1 Upper / 2 Lower Oven Performance Microwave power – upper cavity Bake / broil element wattages – upper cavity Convection element wattages – lower cavity Convection element wattages – lower cavity Technical Details Watts (W) Circuit breaker (A) Volts (V); Frequency (Hz) Power cord length (in) Fixed Connection, No Plug | | | Yes | | |
| modes – lower cavity Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, Temperature Probe, Fast Preheat Cleaning type – lower Cleaning type – lower Self Clean Telescopic rack Illumination type LED (Upper) / Halogen (Lower) Interior lights 1 Upper / 2 Lower Oven Performance Microwave power – Upper cavity Bake / broil element Wattages – upper cavity Convection element Wattages – lower cavity Convection element Wattages – lower cavity Convection element Wattages – lower cavity Technical Details Watts (W) Qircuit breaker (A) Volts (V); Frequency (Hz) Power cord length (in) Plug type Fixed Connection, No Plug | modes – upper | Programs (including Baked Potato, Sweet Potato, Fresh Vegetable, Frozen Vegetable, Ground Meat, Fish / Seafood, Brown Rice, White Rice, Frozen Entrees, Reheat), Popcorn, | | | |
| Telescopic rack Illumination type LED (Upper) / Halogen (Lower) Interior lights 1 Upper / 2 Lower Oven Performance Microwave power — upper cavity Bake / broil element wattages — upper cavity Convection element wattages — upper cavity Bake / broil element wattages — lower cavity Convection element wattages — lower cavity Technical Details Watts (W) Circuit breaker (A) Volts (V); Frequency (Hz) Power cord length (in) Fixed Connection, No Plug | modes – | Roast, Warm, Sabbath, Proof Dough, Convection Bake, Convection Broil, Convection Roast, Pizza, Multi Rack Genuine European Convection, Convection Conversion, | | | |
| Illumination type LED (Upper) / Halogen (Lower) Interior lights 1 Upper / 2 Lower Oven Performance Microwave power — upper cavity Bake / broil element wattages — upper cavity Convection element wattages — upper cavity Bake / broil element wattages — lower cavity Convection element wattages — lower cavity Convection element wattages — lower cavity Technical Details Watts (W) Circuit breaker (A) Volts (V); Frequency (Hz) Power cord length (in) Fixed Connection, No Plug | Cleaning type – lower | | Self Clean | | |
| Interior lights 1 Upper / 2 Lower Oven Performance Microwave power — upper cavity Bake / broil element wattages — upper cavity Convection element wattages — upper cavity Bake / broil element wattages — lower cavity Convection element wattages — lower cavity Convection element wattages — lower cavity Technical Details Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | Telescopic rack | | 1 | | |
| Microwave power – upper cavity Bake / broil element wattages – upper cavity Convection element wattages – upper cavity Bake / broil element wattages – upper cavity Bake / broil element wattages – lower cavity Convection element wattages – lower cavity Convection element wattages – lower cavity Technical Details Watts (W) Circuit breaker (A) Volts (V); Frequency (Hz) Power cord length (in) Fixed Connection, No Plug | Illumination type | | | | |
| Microwave power – upper cavity Bake / broil element wattages – upper cavity Convection element wattages – upper cavity Bake / broil element 2,400 / 3,800 W Wattages – lower cavity Convection element wattages – lower cavity Technical Details Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | Interior lights | | 1 Upper / 2 Lower | | |
| upper cavity Bake / broil element wattages – upper cavity Convection element wattages – upper cavity Bake / broil element wattages – lower cavity Convection element wattages – lower cavity Convection element wattages – lower cavity Technical Details Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | Oven Performance | | | | |
| wattages – upper cavity Convection element wattages – upper cavity Bake / broil element 2,400 / 3,800 W Wattages – lower cavity Convection element wattages – lower cavity Technical Details Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | | | 950 W | | |
| wattages – upper cavity Bake / broil element vattages – lower cavity Convection element vattages – lower cavity Technical Details Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | | | N/A | | |
| wattages – lower cavity Convection element yattages – lower cavity Technical Details Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | | | N/A | | |
| wattages – lower cavity Technical Details Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | | | 2,400 / 3,800 W | | |
| Watts (W) 9,600 W Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | wattages – I | ower cavity | | | |
| Circuit breaker (A) 40 A Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | Convection | element | 2,000 W | | |
| Volts (V); Frequency (Hz) 240 / 208 V; 60 Hz Power cord length (in) 50" Plug type Fixed Connection, No Plug | Convection of wattages – I | element ower cavity | 2,000 W | | |
| Power cord length (in) 50" Plug type Fixed Connection, No Plug | Convection of wattages – I | element ower cavity | | | |
| Plug type Fixed Connection, No Plug | Convection of wattages – I Technical De Watts (W) | element ower cavity etails | 9,600 W | | |
| No Plug | Convection of wattages – I Technical De Watts (W) Circuit break | element ower cavity etails ker (A) | 9,600 W 40 A | | |
| Energy source Electric | Convection of wattages – I Technical De Watts (W) Circuit breal Volts (V); Fre | element ower cavity etails ker (A) equency (Hz) | 9,600 W 40 A 240 / 208 V; 60 Hz | | |
| | Convection of wattages – I Technical De Watts (W) Circuit break Volts (V); Free Power cord | element ower cavity etails ker (A) equency (Hz) | 9,600 W 40 A 240 / 208 V; 60 Hz 50" Fixed Connection, | | |

| Dimensions & Weight | | |
|---|--|--|
| Overall appliance dimensions (HxWxD)(in) | 49" x 29 ³ / ₄ " x 24 ¹ / ₂ " | |
| Required cutout size – Standard (HxWxD) (in) | 48 ⁵ /8" × 28 ¹ /2" × 23 ¹ /2" | |
| Required cutout size – Flush (HxWxD) (in) | 49 ¹ /8" x 30" x 24 ¹ / ₂ " | |
| Microwave cavity size – upper | 1.6 cu. ft. | |
| Overall upper microwave interior dimensions (HxWxD) (in.) | 9 ⁷ /8" × 16 ¹ /2" × 16 ¹ /2" | |
| Glass turntable diameter (in.) | 14 1/8 " dia. | |
| Oven cavity size – lower | 4.6 cu. ft. | |
| Overall lower oven interior dimensions (HxWxD) (in) | 17 13/16 " × 24 1/8 " × 18" | |
| Usable lower oven interior dimensions (HxWxD) (in) | 12 ¹ / ₄ " × 23 ¹ / ₄ " × 15 ¹ / ₄ " | |
| Net weight (lbs) | 259 lbs | |
| Assessanies Included | | |

Accessories – Included

Upper Oven: Glass Turntable Lower Oven: 1 Telescopic and 2 Standard Oven Racks, Meat Probe

Accessories – Optional









Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


30" Microwave Combination Oven

800 Series - Stainless Steel HBL87M53UC



Installation Details





Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

30" Microwave Combination Oven

800 Series - Stainless Steel HBL87M53UC




Installation Details



- * Wall oven junction box may be located above or right or left of the unit within reach of the power conduit.
- **Electrical hook up may be located below (depending on space) or next to the drawer within the reach of the power cord.

Measurements in inches (mm)



Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.